California Department of Transportation

I-880 Corridor System Management Plan

Project Update

August 17, 2006

System Metrics Group, Inc.

Agenda

- Project Overview
- Corridor wide performance
- Corridor bottlenecks
- Next steps

System Metrics Group, Inc.

Project Overview

System Metrics Group, Inc.

This study focuses on system management and all its components and will serve as a template for future efforts



System Metrics Group, Inc.

Note that the previous "pyramid" looks similar to the one included in the 2004 RTP



System Metrics Group, Inc.

The corridor has good detection and stretched from SR-237 to 7th Street (around 35 miles)

System Metrics Group, Inc.

The approach focuses on detailed performance assessments and micro-simulation based "what-if" analysis



System Metrics Group, Inc.

Why Micro Simulation (despite its challenges)?

- Analysis of traffic flows
- Reasonable representation of queues and resulting traffic congestion
- Focus on bottlenecks
- Ability to analyze operational projects
- Integration of planning and operations
- Perhaps most importantly: Quantification of benefits due to operational strategies

Micro-simulation-based presentations/visuals are also more effective in discussions with stakeholders

7

System Metrics Group, Inc.

Corridor Wide Performance Assessment

8

System Metrics Group, Inc.

We used detection data to compute weekday delay on the study corridor over an 12-month period from January 2003 to December 2005 - Northbound



9

System Metrics Group, Inc.

To better see the trends, we computed weekday averages by month (northbound)



10

System Metrics Group, Inc.

We also used detection data to compute weekday delay on the study corridor over an 12-month period from January, 2003 to December 2005 - Southbound



11

System Metrics Group, Inc.

To better see the trends, we again computed weekday averages by month (southbound)



System Metrics Group, Inc.

… and computed average delay by time of day for weekdays northbound



System Metrics Group, Inc.

… and southbound



System Metrics Group, Inc.

Detection also helps us calculate productivity losses by segment



Source: Performance Measurement System (PeMS) – October 2001
Vphpl: volume per lane per hour

System Metrics Group, Inc.

… which can be aggregated for the study corridor in terms of lost lane miles for different time periods (Northbound)



System Metrics Group, Inc.

… which can be aggregated for the study corridor in terms of lost lane miles for different time periods (Southbound)



System Metrics Group, Inc.

Travel times and trends are also computed for the entire corridor - Northbound



System Metrics Group, Inc.

18

... and southbound



System Metrics Group, Inc.

19

Travel time reliability is computed and shows how averages alone do not tell the whole story – Northbound 2003



System Metrics Group, Inc.

20

Northbound 2004



21

System Metrics Group, Inc.

Northbound 2005



22

System Metrics Group, Inc.

Southbound 2003



23

System Metrics Group, Inc.

Southbound 2004



System Metrics Group, Inc.

Southbound 2005



System Metrics Group, Inc.

The Caltrans collision database shows that, over a four-year period, generally between 5 and 15 collisions occur daily… collision-free days are rare



System Metrics Group, Inc.

On the other hands, monthly averages show a downtrend in collisions



27

System Metrics Group, Inc.

Every day of the week, CHP reports more than 100 incidents on the corridor



28

System Metrics Group, Inc.

We identified the CHP reported incidents most likely to impact traffic, which represent about 70 percent of all incidents reported



29

System Metrics Group, Inc.

A preliminary UCB analysis of congestion by cause suggests that collisions cause about a third of total delay in the morning peak period …



… and in the afternoon peak period



Corridor Bottlenecks Identification and Analysis

The 2003 Highway Congestion Monitoring Report (HICOMP) helped identify problem areas as a starting point



We then used speed contours helped clarify the specific locations and extent of bottlenecks



Bottlenecks change in severity from day to day

Northbound AM



Bottlenecks change in severity from day to day

Northbound AM



System Metrics Group, Inc.

When reviewing the speed contours for the northbound direction (for October 2005), it appears there are three major bottlenecks (two of them in the same location at Tennyson and one at 23rd Avenue)



System Metrics Group, Inc.

But upon more detailed review, the third dark area actually represents two separate bottlenecks (one at 23rd and the other at Davis on-ramps)



System Metrics Group, Inc.

Aerial of 23rd Bottleneck

System Metrics Group, Inc.

Field observations for northbound bottleneck at 23rd Street





42

System Metrics Group, Inc.

roup, Inc.



Similarly, in the southbound direction, we identified fivebottleneck areas, two of which are at the same locations for both the AM and PM peaks (at different severities)



System Metrics Group, Inc.

And identified likely causalities (example 98th bottleneck with two adjacent on-ramps with high peak volumes)



System Metrics Group, Inc.

We then looked at the comprehensive list of projects proposed for the corridor and related each to the bottlenecks …

Rte	PM Begin	PM End	Project Source	Project Description	Est Total Cost	Direct Indirect	Near or Long Term
92	4.48	4.48	T-2030 Committed	Dumbarton Express park-and-ride: 90 spaces on Decoto Road near I-880 by the Dumbarton Bridge (includes right-of-way acquisition)	$1.5	I	N
238	14.47	16.70	T-2030 Committed	Widen I-238 between I-580 and I-880 from 4 to 8 lanes. Including auxiliary lanes on I-880 s/o I-238	$108.0	I	L
262	0.00	0.70	T-2030 Committed	Widen SR 262 from I-880 to Warm Springs Blvd. (including reconstructing SR 262-I-880 and SR 262/Kato Rd. Interchanges and reconstruct UPRR undercrossings	$38.3	I	L
262	R0.0	R0.0	Committed	Reconstruct I-680/SR-262 interchange and widen I-880 from SR-262 (Mission Boulevard) to the Santa Clara County line from 8 to 10 lanes (6 mixed flow and 2 HOV lanes)	$162.5	D	L
880	0.00	31.68	T-2030 Big Tent	I-880 incident management, ramp metering and travel advisories	$20.00	D	N
880	0.00	34.50	10 YR SHOPP	Install TMS Elements (Monitoring Stataions, CCTV, CMS, HAR)	$6.2	D	N
880	2.28	2.28	T-2030 Committed/RM II	Reconstruct I-880-Route 262 Interchange including UPRR grade seperation (phase 2)	$52.0	I	L
880	3.25	3.25	T-2030 Committed	Exend Fremont Boulevard to connect to I-880/Dixon Landing Road	$4.50	I	L
880	6.24	6.24	T-2030 Committed	Stevenson Blvd. I-880 Blacow Road ramp impacts (Widen Stevenson Fr 880 to Blacow, 4 to 6 lns)	$1.2	I	L
880	8.84	8.84	T-2030 Big Tent	I-880 SB to SR 84 WB HOV direct connector	TBD	I	L
880	15.6	17.5	T-2030 Committed/RM II	I-880/SR-92 I/C Improvements	$133.8	D	L
880	16.69	20.29	T-2030 Vision	Widen I-880 between Whipple and Jackson	TBD	D	L
880	19.2	24.8	TCCR/ TOPS-T-2030	Widen I-880 for NB HOV lanes from Hacienda to 98th St. and SB from 98th St. to Marina Blvd.	TBD	D	L
880	20.90	20.90	2004 10 Yr SHOPP	I-880-Washington Ave. interchange Realign SB off-ramp & install traffic signals	$80.0	I	N

I = Indirect, D=Direct, N=Near Term, L=Long Term

System Metrics Group, Inc.

We have looked at the comprehensive list of projects proposed for the corridor and related each to the bottlenecks …continued

Rte	PM Begin	PM End	Project Source	Project Description	Est Total Cost	Direct Indirect	Near or Long Term
880	22.83	22.83	T-2030 Committed/10 Yr SHOPP/Ala CTP Tier 1	I-880 Marina Blvd. IC - replace overcrossing on I-880	$8.0	D	L
880	25.50	26.61	T-2030 Big Tent/Ala CTP Tier 1	Construct auxiliary lane on I-880 between Hegenberg Blvd. and 66th St. and shift merge point from Wb Hegenberg Rd. to I-880 on ramp	$4.60	D	L
880	25.50	31.68	T-2030 Big Tent/Ala CTP Tier 1	I-880 modernization and ramp reconfiguration in Oakland as identified in the I-880 Safety and Operations Study	TBD	I	L
880	25.50	31.68	T-2030 New Commitment	I-880 from Hegerberg Rd. to I-880 operational improvements (includes freight movement to Port of Oakalnd)	$20.0	I	N
880	28.0	28.0	T-2030 Commited	42nd Ave/High St access improvements to I-880 in Oak, includes widening and realignment of local streets, connector roads, and ramps near interchange.	$15.9	I	L
880	28.69	28.69	T-2030 New Commitment	I-880/29th Avenue interchange safety and access improvements	$15.0	I	N
880	29.30	29.30	T-2030 Committed/RM II/Ala CTP-Tier 1	I-880/29th Avenue interchange safety and access improvements	$15.0	I	N
880	30.38	30.38	T-2030 Commited	Reconstruct on and off ramps from NB & SB I-880 @ I-880/5th St. IC	$20.0	I	L
880	30.38	30.38	T-2030 New Commitment	I-880/5th Ave. ramp improvements	$20.0	I	L
880	31.09	31.09	T-2030 Big Tent	I-880-Oak St. ramp reconstruction	$30.0	I	L
880	31.10	31.10	T-2030 Big Tent / 2004 10 year SHOPP	I-880 in Oakland - southbound Oak Street on-ramp - construct auxiliary lane	$1.8	D	L
880	31.20	32.60	T-2030 Commited	I-880/Broadway-Jackson interchange improvements (Phase 1)	$28.0	D	L
OFF	OFF	OFF	ALA CTP - T 2030 commited	I-880/Davis St overcrossing	$10.2	D	L
VAR	VAR	VAR	T-2030 Big Tent	Freeway Traffic Operations Systems (TOS)	$255.0	D	N

I = Indirect, D=Direct, N=Near Term, L=Long Term

Transit projects cannot be directly evaluated by micro-simulation, but would be taken into account indirectly …

Rte	PM Begin	PM End	Project Source	Project Description	Est Total Cost	Direct Indirect	Near or Long Term
OFF	OFF	OFF	T-2030 New commited/RM II/Ala CTP	BART-Oakland International Airport Connector	$254.3	T	T
OFF	OFF	OFF	T-2030 New Commitment	AC Transit Bus Rapid Transit (BRT) and Enhanced Bus, Phase 1: Telegraph Avenue/International Boulevard corridor	$167.0	T	T
OFF	OFF	OFF	T-2030 New Com. / ALA CTP-Tier 1	Transit oriented development (including replacement parking) at MacArthur, West Oakland, and/or Coliseum BART Stations	$25.0	T	T
VAR	VAR	VAR	T-2030 Committed	AC Transit bus corridor improvements	$20.0	T	T
VAR	VAR	VAR	T-2030 Committed	Capitol Corridor intercity rail service (track capacity/frequency imp. from Oakland to San Jose designed to allow 16 daily round trips between Oakland and Sacramento/San Jose)	$158.0	T	T
VAR	VAR	VAR	T 2030 Commited/ RM II	RM II Express Bus North Improvements (includes park and ride lots and rolling stock)	$10.5	T	T
VAR	VAR	VAR	T 2030 Commited/ RM II	RM II Express Bus North Improvements (includes park and ride lots and rolling stock)	$18.0	T	T

T = transit

Next Steps

Next steps will focus on testing the scenarios developed specifically to address the bottlenecks identified and develop a phased implementation plan



System Metrics Group, Inc.

Questions?

System Metrics Group, Inc.